UL Product iQ®

BMQX.R25278 - Coatings, Fire Retardant

Coatings, Fire Retardant

See General Information for Coatings, Fire Retardant

INTERNATIONAL CARBIDE TECHNOLOGY CO LTD

R25278

176 Zhongzun St Luzhu District Taoyuan, 33842 TAIWAN

Surface	Red Oak	Red Oak
Flame spread	5	10
Smoke developed	10	25-65
No. of preliminary coats	None	None
Rate per coat (sq ft per gal)	_	_
No. of fire retardant coats	1	1
Rate per coat (sq ft per gal)	100	200
No. of overcoats	None	None
Rate per coat (sq ft per gal)	_	_

Flash Point of liquid coating, closed cup; DC333: No flash to boiling.

Last Updated on 2006-11-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."