

DONPCRANES

Brief Instruction

DONPCRANES was founded in 2009, with its administrative and sales centers located in Shanghai. Its production and manufacturing bases are located in Changzhou and Yancheng, Jiangsu Province, with convenient and fast transportation. It covers a total area of 110 acres. DONPCRANES mainly adheres to and continues the advanced technology and manufacturing process of European material handling equipment, focusing on the technical research and development, innovation, and update of European material handling equipment and its supporting equipment, as well as the manufacturing of products Assembly and sales.
















Typical application of Ex-proof Crane

Offshore Platforms (Oil & Gas)

Oil Refineries

Chemical Plants

Waste Water Treatment

Paint Shops

Gas Power Plants

Printing



Explosion proof technology based on European Standards (CENELEC)

Explosion-proof symbol (ISO)






Standards EN 50 014 - EN 50 020 / IEC60079 / GB3836



Hazardous area according to IEC 79-10



Hazardous Area

Zone: >1000hour/year

Explosion atmosphere is CONSTANTLY present

Zone: 10~1000hour/year

Explosion atmosphere is OCCASIONALLY present


2 Zone: 0.1~10hour/year

Explosion atmosphere is SHELDOM/SHORTLY present

Our products meet the requirements of Zone 1 and Zone 2

Make materials handling more easy and safe.





Ex-proof class code

Our delivery scope

dIIBT4

Our default class

ellBT4


>30% Optional class

IICT4 / eIIIBT4

>50% Optional class



Type of protection



Nr	Туре	Code	Protection Method
1	Flame-proof	d	Flame enclosure for contactor, transformers, etc.
2	Increased safety	е	Spark-proof, bronze hook and wheel, etc.
3	本安型	ia	限制点火源的能量
4	本安型	ib	
5	正压型	px,py,pz	危险物质与点火源隔开
6	充油型	0	
7	充砂型	q	
8	无火花型	na,nl,nc,nr,nz	设法防止产生点火源
9	浇封型	ma,mb	
10	气密型	h	

Make materials handling more easy and safe,





Explosion-Proof Hbist Introduction



Spark proof

No requirements in European Standards

Increased Safety "e" and IIC must be spark proof

Bronze coated hook + bronze trolley wheels and wheel drop brackets Nilon rope guider and sheeve





Load and duty

Load

Max.

80t

Duty-class

M3

M4

M5

Ex-Class

dIIBT4 eIIBT4

IICT4 eIIIBT4


CIIID











Perfect out-looking



Low headroom design

Lowering roof, space saving and cost saving



Make materials handling more easy and safe.



Ex-proof power supply system

festoon system with C profile rail

Complete rubby and round-form cable

Plastic cable trolley

2-step limit switches (Bridge and trolley)







Leading Design for EX.

- ◆ Low headroom
- ◆ Smart driving, higher efficiency
- ◆ 2-speed trolley
- Hardened gear
- ◆ Electromagnetic disk brake
- ◆ Heavy duty steel wire rope
- ◆ Alloy forging hook, DIN 15401
- ◆ IP65 Ex-proof Control cubicle





Ex-proof Motor

- Heavy duty motor
- ◆ Ex Class Up to IIC
- IP65 / H Insulation
- ♦ 60%ED rating
- Over heating protection
- Overloading protection
- Maintenance free



Safety Monitoring System

- Hoist safe working Period counter (SWP%)
- Lifting running time counter
- Overloading counter
- Motor starts counter
- Over heating protection
- Overloading protection
- Brake-ware supervision
- Ethernet/4G remote access








Lifting Limit Switch

- 4-steps adjustable rotation switch
- ◆ Lower, Slow-down, Upper, Top
- Phase sequence control











Make materials handling more easy and safe,





Make materials handling more easy and safe.






Make materials handling more easy and safe,









Our Service

Priority On-call

- Spare parts
- On call service



MAKE MATERIALS HANDLING BE SAFER AND EASIER



