

International Carbide Technology Co., Ltd. (INCA Tech)

No. 176, Zhongzun Street, Luzhu District, Taoyuan 338016, Taiwan

TEL: 886-3-3542168(Rep.) FAX: 886-3-3543488 E-mail: market@incatech.com.tw

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Fire Barrier Foam
Product code : US150A

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Fill, Void Or Cavity Materials

1.3. Supplier

International Carbide Technology Co., Ltd.

No. 176, Zhongzun Street, Luzhu District, Taoyuan 338016, Taiwan

Tel: 886-3-3542168 / Fax: 886-3-3543488

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (oral) Category 4 Harmful if swallowed Serious eye damage/eye irritation Category 2B Causes eye irritation

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Harmful if swallowed Causes eye irritation

Precautionary statements (GHS-US) : Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

If swallowed: Call a POISON CENTER, a doctor if you feel unwell

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container to comply with applicable local, national and international

egulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|------------------------|----------------------|---------|--|
| Ammonium polyphosphate | (CAS-No.) 68333-79-9 | 10 - 20 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 |
| 1,4-Butanediol | (CAS-No.) 110-63-4 | 1 - 5 | Acute Tox. 4 (Oral), H302 STOT SE 3, H336 |

11 May 2023 EN (English US) Page 1

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. Get medical

advice/attention if you feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause slight temporary irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : The product is not flammable. Supports combustion. On combustion forms: Carbon oxides

(CO, CO2).

Explosion hazard : Risk of explosion if heated under confinement.

Reactivity : Stable under normal conditions of use.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with eyes. Avoid breathing mist, vapors. Spilled material may present a slipping

hazard.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Wear recommended personal protective equipment.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use self-contained breathing apparatus.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small spills: Stop leak if safe to do so. Dilute with plenty of water. Absorb remaining liquid with

sand or inert absorbent and remove to safe place. Dispose of at a licensed waste collection center. In case of large spillages: Approach from upwind. Wash contaminated area with large

amounts of water. Consult an expert on waste disposal or treatment.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Provide good ventilation in process area to prevent formation of vapor.

Avoid breathing mist, vapors.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice.

11 May 2023 EN (English US) 2/6

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep container closed when not in use.

Incompatible materials : Strong acids. alkalis. Oxidizing agent. Organic solvents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,4-Butanediol (110-63-4)

Not applicable

Ammonium polyphosphate (68333-79-9)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Impermeable protective gloves. Protective gloves made of rubber or PVC

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. If the occupational exposure limit is exceeded: Wear a self contained breathing apparatus. suitable respiratory equipment (breathing apparatus with filter)

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Black
Odor : characteristic

: No data available Odor threshold No data available рΗ Melting point No data available Freezing point No data available : No data available Boiling point Flash point : No data available : No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : No data available Specific gravity / density : 1 - 1.2 Solubility Not miscible No data available Log Pow Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties No data available Oxidizing properties : No data available

11 May 2023 EN (English US) 3/6

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids. Organic solvents. alkalis. Oxidizing agent.

10.6. Hazardous decomposition products

On combustion forms: Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Oral: Harmful if swallowed.

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

ATE US (oral) 1508 mg/kg body weight

| 1,4-Butanediol (110-63-4) | | |
|---------------------------|----------------------------|---------------|
| | LD50 oral rat | 1525 mg/kg |
| | LD50 dermal rat | > 5000 mg/kg |
| | LC50 inhalation rat (mg/l) | > 5 1 mg/l/4h |

Ammonium polyphosphate (68333-79-9)

LD50 oral rat 300 - 2000 mg/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Causes eye irritation.

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Specific target organ toxicity – single exposure : Not classified (Based on available data, the classification criteria are not met)

1,4-Butanediol (110-63-4)

Specific target organ toxicity – single exposure May cause drowsiness or dizziness.

Specific target organ toxicity – repeated

exposure

: Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified

(Based on available data, the classification criteria are not met)

Viscosity, kinematic : No data available

Likely routes of exposure : Ingestion. Inhalation. Skin and eye contact. Symptoms/effects after skin contact : May cause slight temporary irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

hazard

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This material has not been tested for environmental effects.

11 May 2023 EN (English US) 4/6

| 1,4-Butanediol (110-63-4) | | |
|--|--|--|
| EC50 Daphnia 1 813 mg/l (Exposure time: 48 h - Species: Daphnia magna) | | |
| Ammonium polyphosphate (68333-79-9) | | |
| LC50 fish 1 | > 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) | |
| LC50 fish 2 123 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) | | |

12.2. Persistence and degradability

| Fire Barrier Foam | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Fire Barrier Foam | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
| 1,4-Butanediol (110-63-4) | |
| Log Pow | -0.88 (at 25 °C) |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

Dispose of contents/container to comply with applicable local, national and international regulation, a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

1,4-Butanediol (110-63-4)

Listed on the Canadian DSL (Domestic Substances List)

Ammonium polyphosphate (68333-79-9)

Listed on the Canadian DSL (Domestic Substances List)

11 May 2023 EN (English US) 5/6

EU-Regulations

1,4-Butanediol (110-63-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ammonium polyphosphate (68333-79-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

1,4-Butanediol (110-63-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Ammonium polyphosphate (68333-79-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11 May 2023
Other information : None.

Full text of H-phrases:

| ••• | tok of the philadeon | | |
|-----|----------------------|-----------------------------------|--|
| | H302 | Harmful if swallowed | |
| | H320 | Causes eye irritation | |
| | H336 | May cause drowsiness or dizziness | |

Abbreviations and acronyms:

| PVC (Polyvinyl chloride). |
|---------------------------------|
| r ve (i elythily elleride). |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

11 May 2023 EN (English US) 6/6